

Amendments to the Claims:

The following claims will replace all prior versions of the claims in this application (in the unlikely event that no claims follow herein, the previously pending claims will remain):



1 (Original) A photocurable resin composition comprising:

(A) (A1) a (meth)acrylate having a structure shown by the following formula (1) or (2),
or (A2) an epoxy compound having a structure shown by the formula (1) or (2);

(B) a (meth)acrylate having three or more functional groups other than (A1);

(C) a radical photoinitiator; and

(E) a cationic photoinitiator



wherein R^1 represents a hydrogen atom or a halogen atom, excluding a fluorine atom, R^2 represents a hydrogen atom, a halogen atom excluding a fluorine atom, $\text{Ph-C(CH}_3)_2\text{-}$, Ph- , or an alkyl group having 1-20 carbon atoms, and R^3 represents $\text{-CH}_2\text{-}$, -S- , or $\text{-C(CH}_3)_2\text{-}$,


2 (Original) The photocurable resin composition according to claim 1, wherein also a component (D) is present, wherein D is a compound having three or more cyclic ether linkages in the molecule other than (A2).

3 (Currently amended) The photocurable resin composition according to claim 1 ~~or 2~~, wherein the component (D) is an alicyclic epoxy compound.

4 (Original) The photocurable resin composition according to ~~anyone of the preceding claims~~ claim 1, wherein component (E) is a cationic photoinitiator containing a phosphorus atom.


5 (Original) A photocurable composition comprising at least two types of (meth)acrylates having specific structures (as shown in figures 1 and 2) and a radical photoinitiator, wherein 5-50 wt% of the total acrylic components in the composition is a methacrylate component.

6 (Original) The photocurable resin composition according to ~~anyone of the preceding claims~~ claim 1, wherein component (A) is represented by



wherein R^4 represents a hydrogen atom or a methyl group, R^5 represents $-\text{C}(\text{OCH}_2\text{CH}_2)_k-$, $-(\text{OCH}_2\text{CH}(\text{CH}_3))_l-$, or $-\text{OCH}_2\text{CH}(\text{OH})\text{CH}_2-$, k and l are individually an integer from 0 to 10, and R^1 represents a hydrogen atom or a halogen atom, excluding a fluorine atom and R^2 represents a hydrogen atom, a halogen atom excluding a fluorine atom, $\text{Ph}-\text{C}(\text{CH}_3)_2-$, $\text{Ph}-$, or an alkyl group having 1-20 carbon atoms.

7 (Currently amended) The photocurable resin composition according to ~~anyone of claims 1-5~~ claim 1, wherein compound A is represented by



wherein R^6 represents a hydrogen atom or a methyl group, R^7 and R^8 represent $-\text{CH}_2\text{CH}_2-$, $-\text{CH}_2\text{CH}(\text{CH}_3)-$, or $-\text{CH}_2\text{CH}(\text{OH})\text{CH}_2-$, R^9 represents $-\text{CH}_2-$, $-\text{S}-$, or $-\text{C}(\text{CH}_3)_2-$, p , q , and r are individually an integer from 0 to 10, and R^1 represents a hydrogen atom or a halogen atom, excluding a fluorine atom.

8 (Currently amended) The photocurable resin composition according to ~~anyone of claims 1-7~~ claim 1, wherein component (A) is selected from the group consisting of phenoxyethyl (meth)acrylate, phenoxyethoxyethyl (meth)acrylate, (meth)acrylate of p-cumylphenol reacted with ethylene oxide and 2,4,6-tribromophenoxyethyl (meth)acrylate

9 (Currently amended) The photocurable resin composition according to ~~anyone of claims 1-6~~ claim 1, wherein component (A) is selected from the group consisting of ethylene oxide addition (tetrabromo)bisphenol A (meth)acrylate, (tetrabromo)bisphenol A diglycidyl ether epoxy (meth)acrylate obtained by epoxy ring-opening reaction of (tetrabromo)bisphenol A diglycidyl ether and (meth)acrylic acid.

10 (Currently amended) The photocurable resin composition according to ~~anyone of the preceding claims~~ claim 1, wherein a cured product of the composition has a refractive index of 1.55 or more at 25°C.

11 (Currently amended) The photocurable resin composition according to ~~any one of claims 1 to 10~~ claim 1, wherein the softening point of a cured product of the composition is 40°C or more.

12 (Currently amended) An optical component obtainable by curing the photocurable resin composition according to ~~any one of claims 1 to 11~~ claim 1.